

ACRYLIC

- Wide range of accessories.
- Integration with Low Voltage.
- Dimming version available.
- CRI 90.





OPTIONS

	<p>97 • 35 • • 68 •</p>	<p>Acr-15206</p>
--	---------------------------------	-------------------------

ACRYLIC 9W

<table border="1"> <thead> <tr> <th>lm</th> <th>K</th> <th>W</th> <th>Cut-out (mm)</th> <th>Control</th> <th>Lens</th> </tr> </thead> <tbody> <tr> <td>370</td> <td>3000</td> <td>9</td> <td>Ø 39 x Ø 85</td> <td>On-Off</td> <td>30°</td> </tr> </tbody> </table>	lm	K	W	Cut-out (mm)	Control	Lens	370	3000	9	Ø 39 x Ø 85	On-Off	30°	<p>Dimming</p> <hr/> <p>TRIAC* 15217</p> <hr/> <p>10°* 15216</p>	<p>Tool Kit*</p> <p>15374</p>	<p>Round Trimless*</p> <p>15210</p>
lm	K	W	Cut-out (mm)	Control	Lens										
370	3000	9	Ø 39 x Ø 85	On-Off	30°										

	<p>97 • 35 • • 49 •</p>	<p>Acr-15206</p>
--	---------------------------------	-------------------------

ACRYLIC 9W (Trim)

<table border="1"> <thead> <tr> <th>lm</th> <th>K</th> <th>W</th> <th>Cut-out (mm)</th> <th>Control</th> <th>Lens</th> </tr> </thead> <tbody> <tr> <td>370</td> <td>3000</td> <td>9</td> <td>Ø 44</td> <td>On-Off</td> <td>30°</td> </tr> </tbody> </table>	lm	K	W	Cut-out (mm)	Control	Lens	370	3000	9	Ø 44	On-Off	30°	<p>Dimming</p> <hr/> <p>TRIAC* 15217</p> <hr/> <p>10°* 15216</p>	<p>Round Trim (W)*</p> <p>15211</p>	<p>Round Trim (B)*</p> <p>15367</p>
lm	K	W	Cut-out (mm)	Control	Lens										
370	3000	9	Ø 44	On-Off	30°										

* not included



www.clight-led.com

