

# SPOT

- Wide range of accessories.
- Integration with Low Voltage.
- Dimming version available.
- CRI 90.





**OPTIONS**

		<p><b>WB-15209</b>      <b>BB-15370</b></p>
--	--	---

**SPOT 7W**

<table border="1"> <thead> <tr> <th>lm</th> <th>K</th> <th>W</th> <th>Cut-out (mm)</th> <th>Control</th> <th>Lens</th> </tr> </thead> <tbody> <tr> <td>464</td> <td>3000</td> <td>7</td> <td>Ø 39 x Ø 85</td> <td>On-Off</td> <td>36°</td> </tr> </tbody> </table>	lm	K	W	Cut-out (mm)	Control	Lens	464	3000	7	Ø 39 x Ø 85	On-Off	36°	<p><b>Dimming</b></p> <p>TRIAC* 15218</p>	<p><b>Tool Kit*</b></p> <p>15374</p>	<p><b>Round Trimless*</b></p> <p>15210</p>
lm	K	W	Cut-out (mm)	Control	Lens										
464	3000	7	Ø 39 x Ø 85	On-Off	36°										

		<p><b>WB-15209</b>      <b>BB-15370</b></p>
--	--	---

**SPOT 7W (Trim)**

<table border="1"> <thead> <tr> <th>lm</th> <th>K</th> <th>W</th> <th>Cut-out (mm)</th> <th>Control</th> <th>Lens</th> </tr> </thead> <tbody> <tr> <td>464</td> <td>3000</td> <td>7</td> <td>Ø 44</td> <td>On-Off</td> <td>36°</td> </tr> </tbody> </table>	lm	K	W	Cut-out (mm)	Control	Lens	464	3000	7	Ø 44	On-Off	36°	<p><b>Dimming</b></p> <p>TRIAC* 15218</p>	<p><b>Matt White*</b></p> <p>15211</p>	<p><b>Matt Black*</b></p> <p>15367</p>
lm	K	W	Cut-out (mm)	Control	Lens										
464	3000	7	Ø 44	On-Off	36°										

\* not included



[www.clight-led.com](http://www.clight-led.com)

