

LIGHT COLLEC- TION

Clight

Clight

We Are C-LIGHT

Being a young company, we always focus on the most advanced LED technology.

As all relevant development processes are carried out in house, we can produce custom designs and create new collections followed by the latest trends quickly and flexibly.

DESIGNED in EUROPE MADE in CHINA

C-light factory is located in Zhongshan China. The lowered cost that we achieved is being passed directly on to you.

C-light has been working with European lighting designers to develop custom lights of the highest technical standard. C-light uses the best materials in the market with Hardness Quality Checks for each product. The result is Premium Quality with reasonable price.




SMD Downlights | 06



BRI | 08



BRIS | 12




SELINE | 16

COB Downlights | 20



CONE | 22



MINI | 26



MINI LENS | 30



RING DOTS | 34

IP54 Lights | 38



RON | 40



TORI | 44



COB TUBE | 48



SMD TUBE | 52


SPOT Lights | 56



TOMI | 58




TORRES | 64



TUBE | 70

STEP Lights | RECESSED | 74



MINI LINE | 76




MINI DROP | 80




MINI SQUARE | 80

READING Lights | 82



NICK | 84



NOVA | 88


SUSPENDED Lights | 92



JENNY | 94




JIMI | 98



MOON | 102

DOTTA Recessed Luminaires | 106



ACYRLIC | 110



CONE | 112



SQUARE | 114




SPOT | 116




WALL-WASHER | 118


FLOW Low Voltage System | 120




TRACKS | 122



TON | 128




TOMI | 130




LIGHT STRIPE | 132



DOTS | 134



OUT/BOOK | 136



MOON/GLASSBALL | 138

SMD DOWNLIGHTS

BRI
BRIS

SELINE



Erhan Yavuz


BRI



SMD Downlight


A modern and elegant design, which complements the surrounding style. These recessed downlights create uniform light distribution for use in general lighting applications. The depth creates an anti glare effect. Available in three sizes.







- High quality diffuser
- Integrated SMD backlight
- Bold aluminum frame





LED	lm	K	W	INPUT mA	OPTIC	CUT OUT mm	Type	Colour	Item no.
SMD	270	3000	3.5	350	90°	75	A	White	15001
								Black	150011
SMD	1125	3000	11	350	94°	105	B	White	15002
								Black	150022
SMD	1725	3000	17	350	92°	145	C	White	15003
								Black	150033



CARTON	Size (L*W*H) cm	PCS	CBM	kg
A	47.5*38*24.5	60	0.044	10.8
B	50*26*32	40	0.041	12.4
C	50*34*37	30	0.062	12.4


BRIS




SMD Downlight

BRIS is a recessed collection with SMD backlight. The product comes with a high quality diffuser that spreads soft and warm light to the space. The depth creates an anti glare effect. It is perfect for private interiors and public buildings. Three sizes to choose from.







- High quality diffuser
- Integrated SMD backlight
- Aluminum body



LED	lm	K	W	INPUT mA	OPTIC	CUT OUT mm	Type	Colour	Item no.
SMD	940	3000	10	300	90°	98	A	White	15004
								Black	150044
SMD	1400	3000	16	300	100°	148	B	White	15005
								Black	150055
SMD	1870	3000	24	300	100°	206	C	White	15006
								Black	150066



DIAM	LUX	DIST
2.0 m	349 lx	1 m
2.3 m	582 lx	
2.4 m	819 lx	
4.1 m	87 lx	2 m
4.7 m	145 lx	
4.9 m	205 lx	
6.1 m	39 lx	3 m
7.0 m	65 lx	
7.3 m	91 lx	
8.1 m	22 lx	4 m
9.4 m	37 lx	
9.8 m	51 lx	




CARTON	Size (L*W*H) cm	PCS	CBM	kg
A	63.5*28*35	60	0.062	14.4
B	64*38*34	40	0.082	18.8
C	50*38.5*46	24	0.088	15


SELINE




SMD Downlight

SELINE is a refined integrated led spot light, with a minimalist design frame. Built with SMD backlight, it is equipped with a high quality diffuser that spreads soft and warm light to the space. These downlights come in three sizes. Available in sandy white or black.






- High quality diffuser
- Integrated SMD backlight
- Aluminum body




LED	lm	K	W	INPUT mA	OPTIC	CUT OUT mm	Type	Colour	Item no.
SMD	980	3000	10	300	106°	98	A	White	15007
								Black	150077
SMD	1400	3000	16	300	106°	148	B	White	15008
								Black	150088
SMD	2250	3000	24	300	106°	206	C	White	15009
								Black	150099



DIAM	LUX	DIST
2.7 m	302 lx	1 m
2.7 m	514 lx	
2.7 m	825 lx	
5.3 m	75 lx	2 m
5.4 m	128 lx	
5.4 m	206 lx	
8.0 m	34 lx	3 m
8.2 m	57 lx	
8.0 m	92 lx	
10.6 m	19 lx	4 m
10.9 m	32 lx	
10.7 m	52 lx	

A
B
C



CARTON	Size (L*W*H) cm	PCS	CBM	kg
A	43.5*28*35	60	0.042	13
B	54*38*34	40	0.069	13.2
C	52*33*46	24	0.078	9.8

COB DOWNLIGHTS

CONE
MINI


MINI LENS
RING DOTS




CONE

COB Downlight


CONE is a range of circular recessed downlights featuring a trimless design and deep-set LED position that reduces glare. The luminaire is available in fixed and wall-washer versions that can be used throughout a project for many different lighting needs.







- Integrated COB LED
- CRI 90
- Trimless frame





LED	lm	K	W	INPUT mA	OPTIC	CUT OUT mm	Type	Colour	Item no.
COB	1326	3000	13	350	60°	110	A	White	15017
								Black	150177
COB	1326	3000	13	350	60°	110	B	White	15018
								Black	150188




CARTON	Size (L*W*H) cm	PCS	CBM	kg
A	46*40*28	12	0.051	8.7
B	46*40*28	12	0.051	8.7

MINI

COB Downlight


An ultra-low glare accent COB downlight with a minimal design. Two different sizes and availability of models with CRI90 make it easy to adapt the luminaire to the needs of any interior.







- Integrated COB LED
- Anti glare effect
- CRI 90





LED	lm	K	W	INPUT mA	OPTIC	CUT OUT mm	Type	Colour	Item no.
COB	704	3000	8	200	33°	52	B	White	15027
								Black	150277
COB	980	3000	12	300	15°	72	C	White	15028
								Black	150288




CARTON	Size (L*W*H) cm	PCS	CBM	kg
B	47.5*20*40	50	0.038	7.5
C	60*25*33	40	0.050	10.8

MINI Lens




CREE Downlight

MINI-LENS is a high-end, modern linear luminaire which elegantly combines points of light. Comes in four different lengths, it is known as a low glare downlight that can be perfectly incorporated into any architecture thanks to its extraordinary compact size.







- Integrated COB LED
- Anti glare effect
- CRI 90



LED	lm	K	W	INPUT mA	OPTIC	CUT OUT mm	Type	Colour	Item no.
CREE	450	3000	6	150	30°	92x22	A	White/black	15069
CREE	990	3000	12	350	30°	182x22	B	White/black	15070
CREE	1812	3000	24	700	30°	362x22	C	White/black	15071
CREE	2853	3000	32	1000	30°	542x22	D	White/black	15072



DIAM	LUX	DIST	
0.6 m	1307 lx		A B C D
0.6 m	2776 lx		
0.6 m	4408 lx		
0.5 m	8315 lx	1 m	
1.1 m	327 lx		
1.1 m	694 lx		
1.2 m	1102 lx		
1.1 m	2079 lx	2 m	
1.7 m	145 lx		
1.7 m	309 lx		
1.7 m	490 lx		
1.6 m	924 lx	3 m	
2.2 m	82 lx		
2.2 m	174 lx		
2.3 m	276 lx		
2.2 m	520 lx	4 m	




CARTON	Size (L*W*H) cm	PCS	CBM	kg
A	31*28*20	20	0.017	7.2
B	31*28*20	20	0.017	9.3
C	40*21*20.5	20	0.017	13.8
D	59*22.5*20.5	16	0.027	15


RING DOTS

COB Downlight




Circular, seamless recessed luminaires, which provides stunning and soft illumination. RING DOTS is designed to minimise the glare for high visual comfort. The installation is simple and the family is available in three diameters: 30, 60 or 90cm.






- Integrated COB LED
- Trimless frame
- TRIAC dimmable
- CRI 90




LED	lm	K	W	INPUT mA	OPTIC	CUT OUT mm	Type	Dimming	Colour	Item no.
LED	1152	3000	24	700	24°	310	A	TRIAC*	Black	15369
LED	2400	3000	50	700	24°	610	B		Black	15309
LED	3600	3000	72	700	24°	910	C		Black	15311

* not included



DIAM	LUX	DIST	
0.7 m	2610 lx		A
0.7 m	4830 lx		B
0.7 m	7223 lx	1 m	C
1.4 m	653 lx		
1.4 m	1207 lx		
1.4 m	1806 lx	2 m	
2.1 m	290 lx		
2.1 m	537 lx		
2.1 m	803 lx	3 m	
2.8 m	163 lx		
2.8 m	302 lx		
2.8 m	451 lx	4 m	




CARTON	Size (L*W*H) cm	PCS	CBM	kg
A	38*34.5*33	5	0.043	11.5
B	63*68*7.5	1	0.032	7.5
C	97*98*7.5	1	0.071	13.5

IP54 DOWNLIGHTS

RON
TORI

COB TUBE
SMD TUBE



RON

IP54 COB Downlight

1


RON is a fine COB led waterproof downlight. This IP54 recessed spot light provides ample direct and ambient illumination by the adjustable integrated led. This collection has a TRIAC dimmable option.







- Integrated COB LED
- IP54 waterproof
- Adjustable spotlight





LED	lm	K	W	INPUT mA	OPTIC	CUT OUT mm	Type	Dimming	Colour	Item no.
COB	760	3000	8	170	60°	68	•	TRIAC*	White	15033
									Black	150033

* not included




CARTON	Size (L*W*H) cm	PCS	CBM	kg
•	46*46*29.5	48	0.062	15

TORI


IP54 SMD Downlight

TORI is a refined integrated led waterproof downlight, which creates uniform light distribution in wet spaces. Three sizes and availability of models with CRI90 make it easy to adapt the luminaire to the needs of the interior.






- High quality diffuser
- Integrated SMD backlight
- IP54 waterproof



LED	lm	K	W	INPUT mA	OPTIC	CUT OUT mm	Type	Colour	Item no.
SMD	650	3000	7	220	90°	70	A	White	15035
								Black	150355
SMD	1100	3000	13	230	90°	90	B	White	15036
								Black	150366
SMD	2600	3000	25	580	90°	160	C	White	15219
								Black	15220



CARTON	Size (L*W*H) cm	PCS	CBM	kg
A	57.5*57.5*20	50	0.066	13.9
B	58.5*37*29.5	36	0.064	12.3
C	46*44*40	20	0.081	15.4

COB TUBE

IP54 Surface Downlight



COB TUBE is a dimmable surface downlight which offers many different combinations. Providing two anti glare options; CONE or RING shape, it can also be used for wet spaces. Variety of finishes for inserts and housings allows to get interesting compositions that fit into any interior.








- | 50-51 >

OPTIONS

<div> <div>Total White 15301</div> <div>Total Black 15302</div> </div>		
<div> <div>White*</div> <div>15303</div> </div>	<div> <div>Black*</div> <div>15304</div> </div>	<div> <div>Gold*</div> <div>15305</div> </div>
<div> <div>White*</div> <div>15306</div> </div>	<div> <div>Black*</div> <div>15307</div> </div>	<div> <div>Gold*</div> <div>15308</div> </div>



LED	lm	K	W	INPUT mA	OPTIC	CUT OUT mm	Type
COB	655	3000	8	200	24°	-	•



CARTON	Size (L*W*H) cm	PCS	CBM	kg
•	50x40x21	40	0.04	15.8




* not included

SMD TUBE



IP54 Surface Downlight


SMD TUBE is a surface light, with a minimalist painted aluminium cylinder that comes in 3 different finishes. This IP54 surface mounted family is built with SMD backlight. All 3 Sizes come with high quality diffusers that spread soft and bright light to the space. It can also be used for wet spaces.






- High quality diffuser
- Integrated SMD backlight
- IP54 waterproof
- Aluminum body





LED	lm	K	W	INPUT mA	OPTIC	CUT OUT mm	Type	Colour	Item no.
SMD	900	3000	10	250	90°	-	A	White	15080
								Black	15081
								Gold	15082
SMD	1200	3000	15	400	90°	-	B	White	15083
								Black	15084
								Gold	15085
SMD	1700	3000	20	550	90°	-	C	White	15086
								Black	15087
								Gold	15088




CARTON	Size (L*W*H) cm	PCS	CBM	kg
A	53.5*22*38	50	0.04	18.5
B	68*28*32.5	40	0.06	19.6
C	34*34*40	20	0.04	15.4

SPOT LIGHTS

TOMI
TORRES

TUBE




TOMI




SPOT Light

TOMI is a discreet adjustable spotlight available in both recessed and surface – mounted versions. The body is built from a painted aluminium cylinder Ø7,5cm or Ø9,5cm. Offering a wide range of options, optics and accessories, the product provides ample direct and ambient illumination with excellent colour rendering index.




- Integrated COB LED
- Wide range of accessories
- Adjustable spotlight
- TRIAC dimmable
- CRI 90





LED	lm	K	W	INPUT mA	OPTIC	CUT OUT mm	Type	Dimming
COB	590	3000	9	700	45°	75	A	TRIAC*
COB	1280	3000	13	350	38°	88	B	TRIAC*




DIAM	LUX	DIST	
0.9 m	2226 lx		A
0.9 m	842 lx	1 m	B
1.5 m	557 lx		
1.8 m	210 lx	2 m	
2.3 m	247 lx		
2.7 m	94 lx	3 m	
3.0 m	139 lx		
3.6 m	53 lx	4 m	

OPTIONS

A			
		Total White 15066	Total Black 15067
Gold*	Rose Gold*	Chrome*	White*
15348	15350	15352	15354
B			
		Total White 15063	Total Black 15064
Gold*	Rose Gold*	Chrome*	White*
15347	15349	15351	15353


* not included




CARTON	Size (L*W*H) cm	PCS	CBM	kg
A	59.5*23*17.5	20	0.024	6.9
B	55*31*23	20	0.039	10



- Integrated COB LED
- Wide range of accessories
- Adjustable spotlight
- TRIAC dimmable
- CRI 90




LED	lm	K	W	INPUT mA	OPTIC	CUT OUT mm	Type	Dimming
COB	590	3000	9	700	45°	-	C	TRIAC*
COB	1280	3000	13	350	38°	-	D	TRIAC*



OPTIONS

C				Total White 15341	Total Black 15342
Gold*	Rose Gold*	Chrome*	White*		
15348	15350	15352	15354		
D				Total White 15343	Total Black 15344
Gold*	Rose Gold*	Chrome*	White*		
15347	15349	15351	15353		

* not included



CARTON	Size (L*W*H) cm	PCS	CBM	kg
C	42*18*17.5	20	0.016	7.1
D	54.5*23*20.5	20	0.029	9.4

TORRES




SPOT Light

Recessed or surface spotlight with rotatable and swivable head - elegance and flexibility combined. Its body is built from a painted minimal aluminium cylinder. This spot light provides ample direct and ambient illumination. It is suitable for professional use that requires very good color rendering.







- Integrated COB LED
- Adjustable spotlight
- TRIAC dimmable
- CRI 90



LED	lm	K	W	INPUT mA	OPTIC	CUT OUT mm	Type	Colour	Item no.
COB	610	3000	7	180	24°	45	A	White	15037
								Black	15038
								Gold	15039




CARTON	Size (L*W*H) cm	PCS	CBM	kg
A	37*22.5*30	30	0.025	8.6




- Integrated COB LED
- Adjustable spotlight
- TRIAC dimmable
- CRI 90





LED	lm	K	W	INPUT mA	OPTIC	CUT OUT mm	Type	Colour	Item no.
COB	610	3000	7	180	24°	-	B	White	15040
								Black	15041



CARTON	Size (L*W*H) cm	PCS	CBM	kg
B	35*35*35	50	0.043	14.2

TUBE




SPOT Light

Tube is a minimal, ceiling-recessed spot light characterised by its trimless design. This spot light provides ample direct and ambient illumination by the adjustable head. Available in two different sizes all models have a high color rendering index – CRI90.







- Integrated COB LED
- Adjustable spotlight
- Trimless frame
- CRI 90



LED	lm	K	W	INPUT mA	OPTIC	CUT OUT mm	Type	Colour	Item no.
COB	676	3000	7	700	30°	90	A	White/black	15372
COB	1095	3000	13	350	30°	110	B	White/black	15373



CARTON	Size (L*W*H) cm	PCS	CBM	kg
A	49.5*28*24.5	20	0.034	4.8
B	62*33*27.5	20	0.056	11.1

STEP LIGHTS

MINI LINE

MINI DROP

MINI SQUARE




MINI STEP


STEP Light

MINI STEP family is a minimal collection, built with a painted aluminum body integrated with 4W COB led light. MINI STEP is a fine wall recessed night light.








- Concrete box included
- Easy installation
- Various light effects




LED	lm	K	W	INPUT mA	OPTIC	CUT OUT mm	Type	Colour	Item no.
COB	380	3000	4	700	100°	20x55	A	White	15060
								Black	150600






CARTON	Size (L*W*H) cm	PCS	CBM	kg
A	55*23*36.5	50	0.046	11.5



- Concrete box included
- Easy installation
- Various light effects



LED	lm	K	W	INPUT mA	OPTIC	CUT OUT mm	Type	Colour	Item no.
COB	380	3000	4	700	100°	20x55	B	White	15061
								Black	150611
COB	380	3000	4	700	100°	20x55	C	White	15062
								Black	150622



CARTON	Size (L*W*H) cm	PCS	CBM	kg
B	55*23*36.5	50	0.046	11.5
C	55*23*36.5	50	0.046	11.5

READING LIGHTS

NICK LED

NOVA LED




NICK LED



COB Reading Light


NICK LED is a contemporary interpretation of a classic gooseneck task light. It features a flexible mat black silicone arm which offers a comfortable experience. Its base is equipped with a minimalist switch. A versatile light for every day use in both domestic and commercial settings.







- Wall luminaire
- Integrated COB LED
- Adjustable spotlight
- On/off switch
- Aluminum body
- Mechanical magnet light cover





LED	lm	K	W	INPUT mA	OPTIC	CUT OUT mm	Type	Colour	Item no.
COB	315	3000	3	700	50°	-	•	White	15137
								Black	15138
								Black/gold	15139



CARTON	Size (L*W*H) cm	PCS	CBM	kg
•	60*32*36	20	0.07	15.1

NOVA LED




COB Reading Light

Clean-lined and crisp, this wall-mounted reading light features an adjustable head, which makes it ideal for bedsides where a space-saving design is needed. Its base is equipped with a minimalist switch. A perfect bedside luminaire in the bedroom or in the hotel.







- Wall luminaire
- Integrated COB LED
- Adjustable spotlight
- On/off switch
- Aluminum body
- Mechanical magnet light cover



LED	lm	K	W	INPUT mA	OPTIC	CUT OUT mm	Type	Colour	Item no.
COB	315	3000	3	700	50°	-	•	White	15130
								Black	15131
								Black/gold	15132



CARTON	Size (L*W*H) cm	PCS	CBM	kg
•	36*28.5*25.5	20	0.026	10.5



SUSPENDED LIGHTS

JENNY
JIMI

MOON



JENNY




Suspended Light

JENNY is a clean eye-catching piece with soft curves and gentle angles. Whether it is used in domestic or public spaces it occupies the space elegantly and effectively. It is perfect for multiple installations, whether in clusters or in a linear fashion. Available in white, black and brushed gold.






- Integrated COB LED
- Aluminum body
- Various canopy options
- CRI 90



LED	lm	K	W	INPUT V	OPTIC	CUT OUT mm	Type	Colour	Item no.
COB	595	3000	5	24	60°	-	A	White	15053
								Black	15054
								Gold/Black	15055
COB	595x5	3000	5x5	24	60°	-	B	White	15057
								Black	15058
								Gold/Black	15056




CARTON	Size (L*W*H) cm	PCS	CBM	kg
A	66*21*53	20	0.07	18.9
B	83*13*19.5	1	0.02	4.9

JIMI




Suspended Light

JIMI is a thin pendant mount fixture. A metal cylinder that holds an acrylic diffuser in a minimalist design. Two body heights and availability of models with CRI90 make it easy to adapt the luminaire to the needs of the interior. Install solo or in a cluster and personalize by choosing your own hanging lengths.






- Integrated COB LED
- Aluminum body
- CRI 90




LED	lm	K	W	INPUT mA	OPTIC	CUT OUT mm	Type	Colour	Item no.
LED	300	3000	6	150	-	-	A	White	15906
								Black	15907
								Gold	15908
LED	400	3000	8	200	-	-	B	White	15909
								Black	15910
								Gold	15911




CARTON	Size (L*W*H) cm	PCS	CBM	kg
A	46*36.5*45.5	10	0.07	8.2
B	46*36.5*52.5	20	0.09	8.8


MOON




Suspended Light



MOON is a single LED retro styled sphere shaped pendant. The top shade connects with the lower half at the equator of the sphere, ending on a white opal pvc diffuser. The sphere is tiltable with 90° movement. When lit the light creates uniform light distribution into the surrounding area.



- 
- Integrated COB LED
 - Anti glare effect
 - Aluminum body
 - Various cable lengths
up to 5 meters
 - CRI 90



LED	lm	K	W	INPUT mA	OPTIC	CUT OUT mm	Type	Colour	Item no.
COB	525	3000	8	700	90°	-	A	Black	15286
								Gold	15285
COB	525	3000	8	700	90°	-	B	Black	15287
								Gold	15288




CARTON	Size (L*W*H) cm	PCS	CBM	kg
A	54.5*23*36.5	20	0.05	14.1
B	54.5*23*20	10	0.03	7.6

DOTTA RECESSED LUMINAIRES


Multi function recessed system, with plenty of variations. Aluminum body integrated with COB LED lights. Trim or trimless options with many accessories. Easy to install thanks to its special tool box.

ACRYLIC
CONE
SQUARE


SPOT
WALL-WASHER




INSTALLATION



Lighting fixture & driver



Tool Kit




Installation is a simple process thanks to the innovative drill tool kit. Final finishing needs a minimum amount of plaster work.

1. Drilling the hole



2. Installation of the frame



3. Plastering & paint work




4. Positioning the power supply



5. Installation of the fixture



6.



MAINTENANCE

1.



2.



The power supply and the fixture can be removed at any time by simply pressing the fixture once and pulling the fixture.




ACRYLIC

- Wide range of accessories.
- Integration with Low Voltage.
- Dimming version available.
- CRI 90.










OPTIONS



			 Acr-15206	
--	--	--	---	--

ACRYLIC 9W

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	 Tool Kit*	 Round Trimless*
						TRIAC* 15217		
370	3000	9	Ø 39 x Ø 85	On-Off	30°	10°* 15216	152045	15210

			 Acr-15206	
---	--	---	---	--

ACRYLIC 9W (Trim)

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	 Round Trim (W)*	 Round Trim (B)*
						TRIAC* 15217		
370	3000	9	Ø 44	On-Off	30°	10°* 15216	15211	15367

* not included

CONE






- Excellent optical control.
- Interchangeable lenses.
- Wide range of accessories.
- Integration with Low Voltage.
- Dimming version available.
- CRI 90.





Cohen Alon Architecture








OPTIONS



		 W-15204			 B-15205	 G-15365

CONE 9W

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	 Tool Kit*	 Round Trimless*
						TRIAC* 15217		
560	3000	9	Ø 39 x Ø 85	On-Off	30°	10°* 15216	152045	15210

		 W-15204			 B-15205	 G-15365


CONE 9W (Trim)

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	 Matt White*	 Matt Black*
						TRIAC* 15217		
560	3000	9	Ø 44	On-Off	30°	10°* 15216	15211	15367

* not included






SQUARE

- Excellent optical control.
- Interchangeable lenses.
- Wide range of accessories.
- Integration with Low Voltage.
- Dimming version available.
- CRI 90.











OPTIONS



		 W-15212	 B-15213	 G-15366
---	--	---	---	---

SQUARE 9W

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	 Square Trimless*
573	3000	9	39x39 x Ø 85	On-Off	30°	TRIAC* 15217 10°* 15216	15214

		 W-15212	 B-15213	 G-15366
---	---	---	---	---

SQUARE 9W (Trim)

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	 Matt White*	 Matt Black*
573	3000	9	43x43	On-Off	30°	TRIAC* 15217 10°* 15216	15215	15368

* not included





SPOT

- Wide range of accessories.
- Integration with Low Voltage.
- Dimming version available.
- CRI 90.









OPTIONS

		 WB-15209	 BB-15370
--	--	--	--

SPOT 7W

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	Tool Kit*	Round Trimless*
464	3000	7	Ø 39 x Ø 85	On-Off	36°	TRIAC* 15218	152045	15210

		 WB-15209	 BB-15370
---	---	--	--

SPOT 7W (Trim)

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	Matt White*	Matt Black*
464	3000	7	Ø 44	On-Off	36°	TRIAC* 15218	15211	15367

* not included

WALL-WASHER

- Wide range of accessories.
- Integration with Low Voltage.
- Dimming version available.
- CRI 90.





OPTIONS

				W-15207	B-15208

WALL-WASHER 6W

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	Tool Kit*	Round Trimless*
253	3000	6	Ø 39 x Ø 85	On-Off	45°	TRIAC* 15217	152045	15210

				W-15207	B-15208

WALL-WASHER 6W (Trim)

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	Matt White*	Matt Black*
253	3000	6	Ø 44	On-Off	45°	TRIAC* 15217	15211	15367

* not included

FLOW LOW VOLTAGE SYSTEM

Flow system is a multi function system based on 48V. Flow system offers architects plenty of design options. This system with a clicking mechanism can be installed both vertically and horizontally, and has recessed, surface mounted or pendant versions.

TON

TOMI

LIGHT STRIPES

DOTS

OUT

MOON




TRACKS




- Low Voltage System.
- Minimal design.
- Different kinds of applications.
- Wide range of accessories.




RECESSED




2m TRACK | 15324
3m TRACK | 15325
Different Lengths | upon request



"L" CONNECTOR | 15326



"L" CONNECTOR IN | 15327



"L" CONNECTOR OUT | 15328




"T" CONNECTOR | 15380



"X" CONNECTOR | 15378

SURFACE/SUSPENDED*



2m TRACK | 15330
3m TRACK | 15276
Different Lengths | upon request



HANGING KIT* Chrome | 15355
 Black | 15243



DRIVER 200W** | 15357



DRIVER 100W** | 15277



"L" CONNECTOR | 15332



"T" CONNECTOR | 15384



"X" CONNECTOR | 15382



CONNECTOR STRAIGHT | 15376



LIVE END | 15281



LIVE END DIM | 15333



CONNECTOR | 15334


TRACKS



- Low Voltage System.
- Minimal design.
- Different kinds of applications.
- Wide range of accessories.




RECESSED




2m TRACK | 15236
3m TRACK | 15237
Different Lengths | upon request



"L" CONNECTOR | 15238



"L" CONNECTOR IN | 15239



"L" CONNECTOR OUT | 15240




"T" CONNECTOR | 15379



"X" CONNECTOR | 15377

SURFACE/SUSPENDED*



2m TRACK | 15329
3m TRACK | 15242
Different Lengths | upon request



HANGING KIT* Black | 15243
Chrome | 15355



DRIVER 200W** | 15356



DRIVER 100W** | 15272



"L" CONNECTOR | 15244



"T" CONNECTOR | 15383




"X" CONNECTOR | 15381



CONNECTOR STRAIGHT | 15375



LIVE END | 15280




LIVE END DIM | 15247



CONNECTOR | 15248

TRACKS CONNECTORS



RECESSED




"L" CONNECTOR | B-15238
| W-15326



"T" CONNECTOR | B-15379
| W-15380



"X" CONNECTOR | B-15377
| W-15378



SURFACE/SUSPENDED



"L" CONNECTOR | B-15244
| W-15332



"T" CONNECTOR | B-15383
| W-15384




"X" CONNECTOR | B-15381
| W-15382


TON



- Excellent optical control.
- Wide range of accessories.
- Integration with Low Voltage.
- DALI version available.
- CRI 90.




OPTIONS




TON 6W

lm	K	W	Control	Lens	Dimming
420	3000	6	On-Off	24°	0-10V* 15278 DALI* 15279
					36°* 15362 50°* 15363



TON 11W

lm	K	W	Control	Lens	Dimming
925	3000	11	On-Off	30°	0-10V* 15278 DALI* 15279
					15°* 15265 50°* 15266



TON 16W


lm	K	W	Control	Lens	Dimming
1310	3000	16	On-Off	30°	0-10V* 15278 DALI* 15279
					15°* 15265 50°* 15266



* not included





TOMI

- Excellent optical control.
- Available in different finishes.
- Integration with Low Voltage.
- DALI version available.
- CRI 90.













OPTIONS





		 Total White-15360				 Total Black-15361

TOMI 9W

					0-10V* 15278					
lm	K	W	Control	Lens	DALI* 15279		Brushed Gold*	Brushed Rose Gold*	Brushed Chrome*	Matt White*
640	3000	9	On-Off	40°	150°	15346	15348	15350	15352	15354

		 Total White-15358				 Total Black-15359

TOMI 13W

					0-10V* 15278					
lm	K	W	Control	Lens	DALI* 15279		Brushed Gold*	Brushed Rose Gold*	Brushed Chrome*	Matt White*
1260	3000	13	On-Off	30°	150°* 15345		15347	15349	15351	15353

* not included


LIGHT STRIPE



- Clean minimal design.
- Diffused light effect.
- Integration with Low Voltage.
- DALI version available.




OPTIONS




LIGHT STRIPE 30cm

lm	K	W	Control	Lens	Dimming
625	3000	14	On-Off	90°	0-10V* 15278
					DALI* 15279



LIGHT STRIPE 60cm

lm	K	W	Control	Lens	Dimming
1090	3000	20	On-Off	90°	0-10V* 15278
					DALI* 15279



LIGHT STRIPE 120cm

lm	K	W	Control	Lens	Dimming
1850	3000	30	On-Off	90°	0-10V* 15278
					DALI* 15279

* not included

DOTS

- Excellent optical control.
- Dark Light effect.
- Integration with Low Voltage.
- DALI version available.
- CRI 90.





OPTIONS

--	--	--	--

DOTS 30cm

lm	K	W	Control	Lens	Dimming
1320	3000	14	On-Off	24°	0-10V* 15278
					DALI* 15279

--	--	--	--

DOTS 60cm

lm	K	W	Control	Lens	Dimming
1955	3000	20	On-Off	24°	0-10V* 15278
					DALI* 15279

* not included


OUT



- Clean minimal design.
- Diffused light effect.
- Integration with Low Voltage.
- DALI version available.



OPTIONS




B-15316

W-15317

OUT 30cm

lm	K	W	Control	Lens	Dimming
2180	3000	25	On-Off	90°	0-10V* 15278
					DALI* 15279




B-15318

W-15319

BOOK 30cm

lm	K	W	Control	Lens	Dimming
2180	3000	25	On-Off	90°	0-10V* 15278
					DALI* 15279



B-15320

W-15321


BOOK 15cm

lm	K	W	Control	Lens	Dimming
1035	3000	15	On-Off	90°	0-10V* 15278
					DALI* 15279

* not included




MOON

- Clean minimal design.
- Diffused light effect.
- Available in different finishes.
- Integration with Low Voltage.
- DALI version available.








OPTIONS

		
--	--	---

MOON

lm	K	W	Control	Lens	Dimming
260	3000	8	On-Off	90°	0-10V* 15278
					DALI* 15279

		
---	---	--

GLASS BALL

lm	K	W	Control	Lens	Dimming
216	3000	4.5	On-Off	90°	0-10V* 15278
					DALI* 15279

* not included





HEADQUARTER

Hatnufa 7 St.
9342207 Jerusalem
Israel

LOGISTIC CENTER

Tsela ha-Har St. 47
7178127 Modein
Israel

T +972 (2) 6727811/2

F +972 (2) 6727813

office@clight-led.com
export@clight-led.com