

recessed
luminaires

ATA
D

Clight


www.clight-led.com



DOTTA
recessed luminaires


INSTALLATION

4-5




ACRYLIC

6-7




CONE




8-9

SQUARE




10-11

SPOT





12-13

WALL-WASHER




14-15




INSTALLATION



Lighting fixture & driver



Tool Kit




Installation is a simple process thanks to the innovative drill tool kit. Final finishing needs a minimum amount of plaster work.

1. Drilling the hole



2. Installation of the frame



3. Plastering & paint work




4. Positioning the power supply



5. Installation of the fixture




6.



MAINTENANCE

1.



2.



The power supply and the fixture can be removed at any time by simply pressing the fixture once and pulling the fixture.




ACRYLIC

- Wide range of accessories.
- Integration with Low Voltage.
- Dimming version available.
- CRI 90.










OPTIONS



			 Acr-15206	
--	--	--	---	--

ACRYLIC 9W

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	 Tool Kit*	 Round Trimless*
						TRIAC* 15217		
370	3000	9	Ø 39 x Ø 85	On-Off	30°	10°* 15216	152045	15210

			 Acr-15206	
---	--	---	---	--

ACRYLIC 9W (Trim)

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	 Round Trim (W)*	 Round Trim (B)*
						TRIAC* 15217		
370	3000	9	Ø 44	On-Off	30°	10°* 15216	15211	15367

* not included

CONE






- Excellent optical control.
- Interchangeable lenses.
- Wide range of accessories.
- Integration with Low Voltage.
- Dimming version available.
- CRI 90.





Cohen Alon Architecture








OPTIONS



	 • 67 • • 35 • • 68 •	 W-15204			 B-15205	 G-15365

CONE 9W

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	 Tool Kit*	 Round Trimless*
560	3000	9	Ø 39 x Ø 85	On-Off	30°	TRIAC* 15217		
						10°* 15216	152045	15210

	 • 67 • • 35 • • 49 •	 W-15204			 B-15205	 G-15365


CONE 9W (Trim)

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	 Matt White*	 Matt Black*
560	3000	9	Ø 44	On-Off	30°	TRIAC* 15217		
						10°* 15216	15211	15367

* not included






SQUARE

- Excellent optical control.
- Interchangeable lenses.
- Wide range of accessories.
- Integration with Low Voltage.
- Dimming version available.
- CRI 90.











OPTIONS



		 W-15212	 B-15213	 G-15366
---	--	---	---	---

SQUARE 9W

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	 Square Trimless*
573	3000	9	39x39 x Ø 85	On-Off	30°	TRIAC* 15217 10°* 15216	15214

		 W-15212	 B-15213	 G-15366
---	---	---	---	---

SQUARE 9W (Trim)

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	 Matt White*	 Matt Black*
573	3000	9	43x43	On-Off	30°	TRIAC* 15217 10°* 15216	15215	15368

* not included

SPOT

- Wide range of accessories.
- Integration with Low Voltage.
- Dimming version available.
- CRI 90.





OPTIONS

		WB-15209	BB-15370

SPOT 7W

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	Tool Kit*	Round Trimless*
464	3000	7	Ø 39 x Ø 85	On-Off	36°	TRIAC* 15217	152045	15210

		WB-15209	BB-15370

SPOT 7W (Trim)

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	Matt White*	Matt Black*
464	3000	7	Ø 44	On-Off	36°	TRIAC* 15217	15211	15367

* not included

WALL-WASHER

- Wide range of accessories.
- Integration with Low Voltage.
- Dimming version available.
- CRI 90.





OPTIONS

		 W-15207		 B-15208

WALL-WASHER 6W

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	Tool Kit*	Round Trimless*
253	3000	6	Ø 39 x Ø 85	On-Off	45°	TRIAC* 15218	152045	15210

		 W-15207		 B-15208

WALL-WASHER 6W (Trim)

lm	K	W	Cut-out (mm)	Control	Lens	Dimming	Matt White*	Matt Black*
253	3000	6	Ø 44	On-Off	45°	TRIAC* 15218	15211	15367

* not included



DOTTA

recessed luminaires

We Are C-LIGHT

Being a young company, we always focus on the most advanced LED technology.

As all relevant development processes are carried out in house, we can produce custom designs and create new collections followed by the latest trends quickly and flexibly.

DESIGNED in EUROPE MADE in CHINA

C-light factory is located in Zhongshan China. The lowered cost that we achieved is being passed directly on to you.

C-light has been working with European lighting designers to develop custom lights of the highest technical standard. C-light uses the best materials in the market with Hardness Quality Checks for each product. The result is Premium Quality with reasonable price.

HEADQUARTER

Hatnufa 7 St.
9342207 Jerusalem
Israel

LOGISTIC CENTER

Tsela ha-Har St. 47
7178127 Modein
Israel

T +972 (2) 6727811/2
F +972 (2) 6727813

office@clight-led.com
export@clight-led.com

Clight
by **Cabasso Group**

www.clight-led.com