


DOTTA SYSTEM / SPOT



Clight

SPOT

- Wide range of accessories.
- Integration with Low Voltage.
- Dimming version available.
- CRI 90.





OPTIONS

--	--	--

SPOT 7W

<table border="1"> <thead> <tr> <th>lm</th> <th>K</th> <th>W</th> <th>Cut-out (mm)</th> <th>Control</th> <th>Lens</th> </tr> </thead> <tbody> <tr> <td>464</td> <td>3000</td> <td>7</td> <td>Ø 39 x Ø 85</td> <td>On-Off</td> <td>36°</td> </tr> </tbody> </table>	lm	K	W	Cut-out (mm)	Control	Lens	464	3000	7	Ø 39 x Ø 85	On-Off	36°	<p>Dimming</p> <p>TRIAC* 15218</p>	<p>Tool Kit*</p> <p>152045</p>	<p>Round Trimless*</p> <p>15210</p>
lm	K	W	Cut-out (mm)	Control	Lens										
464	3000	7	Ø 39 x Ø 85	On-Off	36°										

--	--	--

SPOT 7W (Trim)


<table border="1"> <thead> <tr> <th>lm</th> <th>K</th> <th>W</th> <th>Cut-out (mm)</th> <th>Control</th> <th>Lens</th> </tr> </thead> <tbody> <tr> <td>464</td> <td>3000</td> <td>7</td> <td>Ø 44</td> <td>On-Off</td> <td>36°</td> </tr> </tbody> </table>	lm	K	W	Cut-out (mm)	Control	Lens	464	3000	7	Ø 44	On-Off	36°	<p>Dimming</p> <p>TRIAC* 15218</p>	<p>Matt White*</p> <p>15211</p> <p>Matt Black*</p> <p>15367</p>
lm	K	W	Cut-out (mm)	Control	Lens									
464	3000	7	Ø 44	On-Off	36°									

* not included


INSTALLATION



Lighting fixture & driver



Tool Kit




Installation is a simple process thanks to the innovative drill tool kit. Final finishing needs a minimum amount of plaster work.

1. Drilling the hole



2. Installation of the frame



3. Plastering & paint work



4. Positioning the power supply



5. Installation of the fixture



6.



MAINTENANCE

1.



2.



The power supply and the fixture can be removed at any time by simply pressing the fixture once and pulling the fixture.

HEADQUARTER

Hatnufa 7 St.
9342207 Jerusalem
Israel

LOGISTIC CENTER

Tsela ha-Har St. 47
7178127 Modein
Israel

T +972 (2) 6727811/2

F +972 (2) 6727813

office@clight-led.com
export@clight-led.com

Clight

by **Cabasso Group**