

BRASS SYSTEM / SINGLE BAR



Clight




| BRASS | Low Voltage System |

SINGLE BAR 35

DIMENSIONS

15mm (ø) 390mm (h)



ELECTRICAL

Power: 3 Watt
Lumens: 230 Lumens
48 V LED
3000 Kelvin
90 CRI
IP20

MATERIAL

Brass

FINISHES

Brushed Brass
Brushed Black

DIMMING

0-10 V*
DALI*


COMPONENTS

15493/15433/15463
15440/15469
15430/15460

60

DIMENSIONS

15mm (ø) 630mm (h)



ELECTRICAL

Power: 5 Watt
Lumens: 330 Lumens
48 V LED
3000 Kelvin
90 CRI
IP20

MATERIAL

Brass

FINISHES

Brushed Brass
Brushed Black

DIMMING

0-10 V*
DALI*


COMPONENTS

15493/15433/15463
15440/15469
15431/15461

120

DIMENSIONS

15mm (ø) 1185mm (h)



ELECTRICAL

Power: 10 Watt
Lumens: 792 Lumens
48 V LED
3000 Kelvin
90 CRI
IP20

MATERIAL

Brass

FINISHES

Brushed Brass
Brushed Black







DIMMING

0-10 V*
DALI*

COMPONENTS

15493/15433/15463
15440/15469
15432/15462

COMPONENTS (required for installation)

	35	60	120
			
Recessed Kit with Driver 15493			
			
Surface Kit with 48V 60W Driver 15433 (Brass) 15463 (Black)			
			
Single Bar Kit 15440 (Brass) 15469 (Black)			
			
Line 35 15430 (Brass) 15460 (Black)			
			
Line 60 15431 (Brass) 15461 (Black)			
			
Line 120 15432 (Brass) 15462 (Black)			

* Optional

HEADQUARTER

Hatnufa 7 St.
9342207 Jerusalem
Israel

LOGISTIC CENTER

Tsela ha-Har St. 47
7178127 Modein
Israel

T +972 (2) 6727811/2

F +972 (2) 6727813

office@clight-led.com
export@clight-led.com

Clight
by **Cabasso Group**

www.**clight-led**.com