

OUTDOOR / STICK








Clight



STICK

This versatile pole light family, adjustable up to 3 meters, is designed to enhance and guide through outdoor spaces. Its multi-axis adjustments and capacity for multiple 'Stick heads' ensure well-lit pathways, making it a perfect tool for illuminating and defining the functions of various areas. Easy to install in gardens, terraces, and more, it suits both tranquil and social settings. With mounting options for walls, ceilings, and floors, it offers a complete and adaptable lighting solution.





W	°K	Lm	Optics	CRI	Protection
10	3000	694	36°	≥90	IP65

CARTON

dim. L49.5*W26.5*H27cm (15550)
L305*W22*H16.5cm (15551)
L64.5*W32*H26.5cm (15554)
cbm 0.035 (15550), 0.111 (15551),
0.055 (15554)
pcs. 1 (15550), 25 (15551), 20 (15554)
net w. 2.4kg (15550), 29.3kg (15551),
12kg (15554)
gross w. 2.9kg (15550), 37.2kg (15551),
13.8kg (15554)

FINISHES / SKU

Black

15550	15551	15554


FEATURES

- Features a movement system enabling a full 360° rotation in one axis.
- Die-cast aluminum body.
- Base Stick (15550) comes with 2 End Caps.
- Pole Stick (15551) comes with 2 End Caps.
- LED light source included.
- Equipped with a 5-meter double cable gland for flexible electrical connection.



STICK **SHORT**

This compact version of Stick Family, ideal for pathway and area lighting, brings focused illumination to outdoor spaces. Customizable up to a shorter height, it's specifically designed for floor installation. It effectively lights up walkways and specific areas, enhancing safety and ambiance. Easy to install, it's perfectly suited for lighting up gardens and open spaces with its targeted and efficient illumination.





W	°K	Lm	Optics	CRI	Protection
10	3000	694	36°	≥90	IP65

CARTON

dim. L49.5*W26.5*H27cm (15550)
L305*W22*H16.5cm (15551)
L64.5*W32*H26.5cm (15554)
cbm 0.035 (15550), 0.111 (15551),
0.055 (15554)
pcs. 1 (15550), 25 (15551), 20 (15554)
net w. 2.4kg (15550), 29.3kg (15551),
12kg (15554)
gross w. 2.9kg (15550), 37.2kg (15551),
13.8kg (15554)

FINISHES / SKU


Black

15550	15551	15554

FEATURES

- Features a movement system enabling a full 360° rotation in one axis.
- Die-cast aluminum body.
- Base Stick (15550) comes with 2 End Caps.
- Pole Stick (15551) comes with 2 End Caps.
- LED light source included.
- Equipped with a 5-meter double cable gland for flexible electrical connection.

OUTDOOR / STICK WALL/CEILING




Clight



STICK **WALL/CEILING**

Enhancing the versatile Stick Family, this model includes a specially designed wall/ceiling base, facilitating seamless installation both indoors and outdoors. Ideal for wall and ceiling applications, it provides harmonious lighting to elevate the ambiance of any space, from outdoor patios to indoor corridors. Its adaptable design ensures focused illumination coupled with aesthetic appeal, making it an exemplary choice for a range of lighting scenarios.





W	°K	Lm	Optics	CRI	Protection
10	3000	694	36°	≥90	IP65

CARTON

dim. L305*W22*H16.5cm (15551)
L50*W38*H23cm (15553)
L64.5*W32*H26.5cm (15554)
cbm 0.111 (15551), 0.044 (15553),
0.055 (15554)
pcs. 25 (15551), 30 (15553), 20 (15554)
net w. 29.3kg (15551), 7.8kg (15553),
12kg (15554)
gross w. 37.2kg (15551), 9.8kg (15553),
13.8kg (15554)

FINISHES / SKU

Black

15551 15553 15554

FEATURES

- Features a movement system enabling a full 360° rotation in one axis.
- Die-cast aluminum body.
- Pole Stick (15551) comes with 2 End Caps.
- Wall/Ceiling Base (15553) comes with 2 End Caps.
- LED light source included.
- Equipped with a 5-meter double cable gland for flexible electrical connection.

HEADQUARTER
Beit Ha-Defus St. 12
9548315 Jerusalem
Israel

SHOWROOM
Hatnufa 7 St.
9342207 Jerusalem
Israel

LOGISTIC CENTER
Tsela ha-Har St. 47
7178127 Modein
Israel

T +972 (2) 6727811/2
F +972 (2) 6727813

office@clight-led.com
export@clight-led.com

Clight
by **Cabasso Group**